

Tambour Door Cabinet



Product overview

The Dexion Strata 2 Tambour Cabinet perfectly blends generous storage capacity with a modern design aesthetic. Of the many key features, perhaps the most striking is the clever articulated curtain design that allows quick, easy accessibility while ensuring open doors do not impede on floor space in front of the cabinet.

The diverse range of sizes are flexible enough to accommodate all modern office environments, while the smaller sizes have been specifically designed to align with common workstation screen heights to maintain an open plan ambience. Its durable powder coated exterior is available in both texture and satin finishes.

Equipped with a signature slimline handle design, the cabinet and door slats are available in a range of colours, including a GECA certified, ABS translucent slat. The Dexion Strata 2 Tambour Cabinet is fitted with ABS door slats as standard.

The Dexion Strata 2 Tambour Cabinet boasts innovative full height magnetic strips on the door posts to ensure a tight, secure and seamless finish when doors are closed.

Key features and benefits

- Achieve maximum storage capacity across a range of cabinet sizes incorporating fully adjustable shelves.
- Environmentally sustainable ABS door slats as standard, now also available in a translucent finish.
- The secure Pincer locking system provides ultimate peace of mind with one key operating two lock latches with separate anchor points in the door. Removable barrel folding key with antimicrobial properties for durability, pocket comfort and hygiene. Secure 3000 series locking system including master key availability.
- Levelling feet as standard and adjustable from the base inside the unit.
- Optional lockable heavy duty castors (height restrictions may apply).
- Wide variety of accessories which are interchangeable across Dexion products.
- Magnetic strips to door posts eliminate door gaps.
- Complimentary matching planter box range.
- Standard interior colour of Stone White to match other Dexion products for ease of interchangeability and/or supply of accessories.
- GECA certification.
- Made from 100% recyclable sheet steel under ISO14001 EMS certification.
- Durable powder coat finish.


Accessories

- | | | | |
|---------------------|-----------------------------|---------------------------|------------------------------|
| • Shelf – slotted | • Divider – slotted shelf | • Hanging file chassis | • Roll out – reference shelf |
| • Shelf – plain | • Divider – wrap around | • Coat rail | • Bins – on shelf |
| • Shelf – fineline | • Filing rack – suspended | • Roll out – file frame | |
| • Divider – binning | • Filing rack – wrap around | • Roll out – media drawer | |




Tambour Door Cabinet


Technical specifications




2 Tier Tambour 670 H		
Overall Height	Overall Width	Overall Depth
670mm	900mm	460mm
670mm	1050mm	460mm
670mm	1200mm	460mm



3 Tier Tambour 970 H		
Overall Height	Overall Width	Overall Depth
970mm	900mm	460mm
970mm	1050mm	460mm
970mm	1200mm	460mm



3 Tier Tambour 1000 H		
Overall Height	Overall Width	Overall Depth
1000mm	900mm	460mm
1000mm	1050mm	460mm
1000mm	1200mm	460mm




4 Tier Tambour 1200 H		
Overall Height	Overall Width	Overall Depth
1200mm	900mm	460mm
1200mm	1050mm	460mm
1200mm	1200mm	460mm




Tambour Door Cabinet

Technical specifications



4 Tier Tambour 1275 H		
Overall Height	Overall Width	Overall Depth
1275mm	900mm	460mm
1275mm	1050mm	460mm
1275mm	1200mm	460mm




4 Tier Tambour 1200 H		
Overall Height	Overall Width	Overall Depth
1200mm	900mm	460mm
1200mm	1050mm	460mm
1200mm	1200mm	460mm




Tambour Door Cabinet


Technical specifications



6 Tier Tambour 1980 H		
Overall Height	Overall Width	Overall Depth
1980mm	900mm	460mm
1980mm	1050mm	460mm
1980mm	1200mm	460mm



2 Tier Tambour with Castors 750 H		
Overall Height	Overall Width	Overall Depth
750mm	900mm	460mm
750mm	1050mm	460mm
750mm	1200mm	460mm




3 Tier Tambour with Castors 1050 H		
Overall Height	Overall Width	Overall Depth
1050mm	900mm	460mm
1050mm	1050mm	460mm
1050mm	1200mm	460mm



Tambour Door Cabinet

Technical specifications



3 Tier Tambour with Castors 1080 H		
Overall Height	Overall Width	Overall Depth
1080mm	900mm	460mm
1080mm	1050mm	460mm
1080mm	1200mm	460mm

Accessory Type	Height	Width	Depth	Capacity (UDL)	Colour
Fine Line Shelf	16mm	750mm	400mm	45KG	SW
Fine Line Shelf	16mm	900mm	400mm	45KG	SW
Fine Line Shelf	16mm	1050mm	400mm	45KG	SW
Plain Shelf	30mm	750mm	400mm	130KG	SW
Plain Shelf	30mm	900mm	400mm	130KG	SW
Plain Shelf	30mm	1050mm	400mm	80KG	SW
Slotted Shelf	30mm	750mm	400mm	130KG	SW
Slotted Shelf	30mm	900mm	400mm	130KG	SW
Slotted Shelf	30mm	1050mm	400mm	80KG	SW
Shelf Clip	-	-	-	-	Zinc

Note: – Shelves and shelf clips sold separately to cabinets. Shelves available in Stone White.
Key: – UDL: Uniformly distributed load, SW: Stone white

Made to order - Non standard colours

Cabinets are available in all standard Interpon powdercoat colours.

Planter integration

Dexion Strata 2 Planter boxes are designed specifically for integration with the Strata 2 cabinet range. Planter boxes and cabinets are designed to align with standard heights in the cabinet range producing clean, consistent lines.

Please note: the recommended maximum height combination should not exceed 1430mm. The maximum height is achieved by using a 1200mm high cabinet with a standard 230mm planter box. Planter boxes accept 200mm diameter pots.




Tambour Door Cabinet

Storage capacity


Below are diagrams showing the achievable number of storage levels for the four most typical storage applications used for Tambour door cabinets::

- A4 Lever Arch folders (315H or less), hanging files, lateral files & CDs


670H




970-1000H




1200-1275H



1650H



1980H



Disclaimer:

The Information contained herein is the intellectual property of Dexion. The Information is defined to include: data, text, images, specification, graphics, design details and any and all other information whatsoever contained herein. The Information has been produced exclusively for Dexion and may not be used for any other purpose. None of the information may be used, altered, edited, copied, distributed or duplicated in any way without the express written consent of Dexion. Whilst the utmost care is taken to ensure the accuracy of the information contained herein, Dexion makes no guarantee as to its accuracy. Dexion shall, under no circumstances, be liable for any costs, losses, expenses or damages which may in any way be attributable to the use or adoption of such data and/or design details. All dimensions indicated are nominal only. Dexion reserves the right to alter or amend any of the information herein, including data and design details, without prior notice.

