

Adelaide Shelving Product Catalogue

Product Range - Office



office

Shelving	
Ultima CI-80 shelving	58 – 59
Compactus	
Side2Side 2 Compactus	60
Freetrack 2 Longspan Compactus	61
Freetrack 2 Compactus	62
Mekdrive 3 Compactus	63
Mekdrive 3 Longspan Compactus	64
Mech Assist Compactus	65
Eclipse powered Compactus	66
MaxiDrive Compactus	67
Easyfit Wire Compactus	68
Cabinets and planters	
Sliding door cabinet	69
Tambour door cabinet	70
Swing door cabinet	71
Planter	72 – 73
Bookcase	74
G3 lateral filing cabinet	75
Precision Library shelving 2	76 – 77
Agile lockers	78
Dexion safety rail & dynamic locking	79



- 01** Slotted shelf dividers.
- 02** Shelf support.
- 03** Shelf dividers.
- 04** Wrap around file rack.
- 05** Pull out reference shelf.
- 06** Pull out file frame.
- 07** Media drawer.
- 08** Suspended filing rack.

Ultima® CI-80 shelving.

Your need:

A single-tier, office storage system for light to medium weight items. Your business is growing and evolving, so you need a solution that can change with you.

Our solution:

Employing a modular system, Ultima CI-80 expands in any direction. A common frame panel makes sideways extension simple while units are made mobile with Compactus bases and runners. A wide range of accessories such as suspended filing racks, dividers and drawers allow you to switch between front office and back of house applications.

Vital statistics:

Shelving height	1875, 2175, 2400mm
Shelving width	750, 900, 1050, 1200mm
Shelving depth	250, 300, 400, 450, 500, 600mm
Shelf carrying capacity	Up to 240kg*
Shelving bay capacity	Standard frames - Up to 1035kg* Reinforced frames - Up to 1700kg*
Shelf pitch	25mm
Standard colour	Stone White

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

STORAGE Tip

Convert suspension filing to lateral filing to increase lineal metres of storage by using available vertical space.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 240kg UDL by adding shelf supports.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 170kg UDL by adding shelf supports.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 170kg UDL by adding shelf supports.



Suspended filing racks for lateral shelf filing.



Suspended filing racks for lever arch binders.



Fully accessorised Ultima CI-80.



Ultima CI-80 archive solution.



Slide aside solution.

Side2Side 2 Compactus[®]

Your need:

A storage system that can be used in an area that is not being well utilised.

Our solution:

Side2Side 2 is the ideal system for transforming under-utilised areas such as alcoves into efficient storage space. It's simple; we just place a row of mobile shelving in front of a row of static shelving. This eliminates the need for permanent aisles as items stored are accessed from the front.

Vital statistics:

Drive type	Manual
Shelving and accessory system	Ultima CI-80
Maximum system width	Unlimited
Shelving width options	750, 900, 1050, 1200mm
Static shelving depth options	250, 300, 400, 450, 500, 600mm
Mobile shelving depth options	400, 450, 500, 600mm
Shelving height options	1875, 2175, 2400mm
Overall system height	1940, 2240, 2465mm
Maximum bay carrying capacity	500kg*
Anti-tilt system	Track and runner combination
Standard colour	Stone White (shelving) Anodised Aluminium (track and carriage)

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish and sleek track system with ramps provides easy access between shelving bays.



Unique pivoting ramps follow the contours of the floor and provide a seamless transition between the flooring and track.

STORAGE Tip

Increase your storage capacity by up to 66% by placing a row of mobile units in front of existing static shelving.

Freetrack[®] 2 Longspan Compactus[®]

Your need:

Compactus that can handle larger, bulkier or awkwardly shaped items.

Our solution:


Dexion's most versatile storage system, Ultima Longspan 2 mounted on Freetrack 2 Compactus track and runner system. The track does not require floor fixing, this keeps floor loads to a minimum. It's the perfect solution for in office storage of archives or bulky items.

Vital statistics:

Drive type	Manual
Shelving and accessory system	Ultima Longspan 2
Maximum system width	2400mm
Shelving width options	900, 1200, 1500, 1800, 2100, 2400mm
Shelving depth options	400, 450, 500, 600, 760, 900, 1200mm
Shelving height options	2000, 2200, 2500mm
Overall system height	2065, 2265, 2565mm
Maximum bay carrying capacity	Up to 1500kg*
Anti-tilt system	Track and runner combination
Standard colour	Stone White (beams and shelves) Anthracite (uprights & bracing) Anodised Aluminium (track and carriage)

Shelf Options	One piece solid steel Timber shelf infill Stepped beams with steel shelf infills Coat rails
---------------	--

*Uniformly Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Freetrack 2 Longspan Compactus is effortlessly moved using an attractive handle.



Stylish and sleek track system with ramps provides easy access between shelving bays.

STORAGE Tip

Easily upgrade to a Mekdrive[®] 3 mechanically assisted drive type.



Freetrack[®] 2 Compactus[®]

Your need:

A storage system that is easy to operate and does not need to be fixed to the floor.

Our solution:

Freetrack 2 is the ideal light-weight Compactus system for just about any storage and filing application. The lighter weight of the system reduces the chance of operator strain and loads imposed on the floor. But just because Freetrack 2 is lighter than other systems this doesn't mean it isn't built tough. Move block-loads up to 1000kg effortlessly with Freetrack 2 Compactus.

Vital statistics:

Drive type	Manual
Shelving and accessory system	Ultima CI-80
Maximum system width	1800mm (2 x 900mm bays)
Shelving width options	750, 900, 1050, 1200mm
Shelving depth options	250, 300, 400, 450, 500, 600mm
Shelving height options	975, 1875, 2175, 2400mm
Overall system height	1040, 1940, 2240, 2465mm
Maximum bay carrying capacity	500kg*
Anti-tilt system	Track and runner combination
Security	Unit lock and/or aisle lock
Standard colour	Stone White (shelving) Anodised Aluminium (track and carriage)

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish and sleek track system with ramps provides easy access to shelving bays.



Freetrack 2 is effortlessly moved using an attractive handle. All units have the option to be lockable for added security.

STORAGE Tip

Easily upgrade to a Mekdrive[®] 2 Compactus[®].

Mekdrive[®] 3 Compactus[®]

Your need:

A light weight, high-density mobile filing and storage system that is easily operated.

Our solution:

Mekdrive[®] 3 revolutionises filing and storage systems with advanced technology and design. It is the lightest mechanically-assisted mobile storage system available; this keeps floor loads to a minimum, a major consideration in most high rise buildings. And best of all, its 'positive drive' technology and ergonomically designed hand-wheel moves 6000kg block loads at up to four shelving bays wide, effortlessly, removing operator strain.

Vital statistics:


Drive type	Mechanically assisted
Shelving and accessory system	Ultima CI-80
Maximum system width	4800mm * Subject to a maximum of 5 tracks in width (4 shelving bays) and maximum movable block load.
Shelving width options	750, 900, 1050, 1200mm
Shelving depth options	250,300,400, 450, 500, 600mm
Shelving height options	1875, 2175, 2400mm
Overall system height	1940, 2240, 2465mm
Maximum bay carrying capacity	Up to 700kg based on Uniformly Distributed Load
Maximum movable block load	6000kg based on Uniformly Distributed Load
Security	Track and/or aisle lock
Standard colour	Stone white (Shelves), Anodized Aluminium (Track and carriage)



The Mekdrive 3 hand-wheel can be retro-fitted to Mekdrive 1 and 2 systems with a simple modification.



The system includes patented pivoting ramps, unique to the Mekdrive 3 Compactus[®], which can accommodate varying floor contours and are available in two lengths to control the gradient angle.



Modern and unique stylised hand-wheel with integrated spinner handle, providing safer and easier operation.



The system includes patented pivoting ramps, unique to the Mekdrive 3 Longspan Compactus®, which can accommodate varying floor contours.

Mekdrive 3 Longspan Compactus.

Your need:

A storage system for bulky or awkward items which is easily operated with minimal effort.

Our solution:

The Mekdrive® 3 Longspan Compactus® provides incredible value and cost efficiencies when compared with traditional mechanically operated fixed-track systems. The robust chain drive and ergonomically designed hand-wheel now moves up to 6,000kg (previously 4,000kg) block loads effortlessly, eliminating operator strain and can accommodate varying floor contours.

Vital statistics:

Drive type	Mechanically assisted
Shelving and accessory system	Dexion Ultima Longspan 2
Maximum system width	2400mm
Shelving width (bay width)	900, 1200, 1500, 1800, 2100, 2400mm
Shelving depth	400, 450, 500, 600, 760, 900, 1200mm
Shelving height	1200, 2000, 2200, 2500mm
Maximum bay carrying capacity*	Up to 1500kg based on Uniformly Distributed Load
Maximum movable block load	6000kg
Anti-tilt system	Track and runner combination
Standard colour	Stone White (Beams and shelves), Anthracite (Uprights), Anodized Aluminium (Track and carriage), Anthracite (Frame bracing)

Mech Assist Compactus.®

Your need:

You need a high-density mobile storage system for a wide variety of materials of different size, weight and shape. Minimal footprint and minimal construction costs is a plus.

Our solution:

The Dexion Mech Assist Compactus is the safest mechanically assisted Compactus available in Australia today. This storage system cleverly optimises floor space and puts all the storage efficiency you could ever need at your fingertips. Operation is smooth and effortless due to the ability to select a drive ratio which suits the load of the Compactus and its contents. Dexion Mech Assist Compactus provide market leading safety features, and can be easily upgraded to powered operation at any time in the future.

Vital statistics:

Drive type	Mechanically assisted (line shaft or synchronised)
Rail system	Recessed in-floor or above-floor
Shelving and accessory system	Ultima
Maximum system width	13700mm – longer on request
Shelving width options	750, 900, 1050, 1200mm
Shelving depth options	250, 300, 400, 450, 500, 600mm
Shelving height options	975, 1875, 2175, 2400mm
Overall system height	1120, 2020, 2320, 2545mm
Maximum bay carrying capacity	Up to 1500kg per linear metre*
Anti-tilt system	In-track anti-tip rail with dual flange guidance
Security	Unit lock and/or aisle locks
Standard colour	Stone White (shelving) White (carriages) Laminate (end panels)

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Optional safety sweep works as a safety lock, activated by light foot pressure, to allow users working within the open aisle to lock the carriage in position.



The standard safety lock prevents unwanted movement of bays. It has a bright visual indicator clearly showing the lock status. For additional safety, optional automatic locks are available which help prevent the system from being closed when an aisle is in the open position.

office products



New option LCD touchscreen controller with inbuilt user tutorials and security functionality.



Light-immune photo sweep uses an infrared beam to detect people or objects within a closing aisle.

Eclipse powered Compactus[®]

Your need:

Affordable powered high-density mobile storage solution. Ideal for when you need options for guidance, control and safety, power and wiring, environmental monitoring, security, lighting and more.

Our solution:

The Dexion Eclipse Compactus makes powered high-density mobile storage more affordable than ever before. Create your own powered storage solution from a broad range of features and options for guidance, control and safety, environmental monitoring, security, lighting and more. The drivers behind the Dexion Eclipse are safety, ease of use, productivity and reliability. The system you buy today can easily evolve into the system you'll need tomorrow. This is the only system available that provides a battery override back up to allow you to access the Compactus when there is a power outage. The rechargeable battery back up is guaranteed for up to 80 carriage movements.

Vital statistics:

Drive type	Powered, motor driven (line shaft or synchronised)
Rail system	Recessed in-floor or above-floor
Shelving and accessory system	Ultima CI-80
Maximum system width	24.6m (Longer on request)
Shelving width options	750, 900, 1050, 1200mm
Shelving depth options	250, 300, 400, 450, 500, 600mm
Shelving height options	1875, 2175, 2400mm
Overall system height	1120, 2020, 2320, 2545mm
Maximum bay carrying capacity	Up to 1500kg per lineal metre*
Maximum movable block load	20 tonne
Anti-tilt system	In-track anti-tip rail with dual flange guidance
Security	System key lock and aisle lock
Standard colour	Stone White (shelving) White (carriages) Laminate (end panels)

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

MaxiDrive Compactus.

Your need:

A heavy duty, aesthetically appealing, mobile based bulk storage system.

Our solution:

The MaxiDrive Compactus is capable of carriage lengths of up to a staggering 14,440mm (nominal) as standard, MaxiDRIVE delivers superior storage density in a mechanically operated system for your available floor area, catering for any item in the office, back of house retail, library, warehouse or archive.

Vital statistics:

Drive type	Mechanically assisted (Positive Drive)
Shelving and accessory system	Ultima CI-80
Maximum system width	14,440mm
Shelving width (bay width)	900, 1050, 1200mm
Shelving depth	300, 400, 450, 500, 600mm
Shelving height	1875, 2175, 2400mm
Maximum bay carrying capacity*	Up to 1000kg per lineal meter
Maximum movable block load*	20 tonne
Security	Unit and Aisle Locking
Standard colour	Stone White (shelving), White Satin (base & finishing panels)
Standard colour	Anti-Tilt Tracks, Hub Lock

*Uniformly Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Unique handwheel disc design delivers a 'Hub Lock' on each handwheel for superior user safety as well as an ergonomic hand grip on the outer edge and spinner handle for user-friendly operation.



Two gear reduction ratios available to tailor operation to the weight load of your contents.



Easyfit Wire Compactus.

Your need:

To minimise the surface area which can harbour bacteria or dust and to allow a constant flow of air around the stored items.

Our solution:

The Dexion EasyFit® Wire Compactus® provides a clear, continuous area for optimal sterilisation and can dramatically improve the storage capacity of your floor space. It can easily be re-configured to suit storage of any kind. It utilises an overhead rail to guide the mobile shelving bays within the unit, which are fitted with castors to ensure the floor below can easily be cleaned.

Vital statistics:	
Drive type	Overhead Rail and Castors
Heights	Static Bay: 2260mm
	Mobile Bay: 2040mm
Widths	757, 910, 1060, 1215, 1370, 1518mm
	Depths
Adjustment pitch	25.4mm
Options	Double deep bays
Finishes	Chrome, Zinc plated, Epoxy powder-coated with antimicrobial coating, Stainless steel 304
	Accessories

Strata 2 Sliding door cabinet.

Your need:

A cabinet that's both aesthetic and acoustic. It needs to be securely lockable, and there's no room for doors to obstruct aisles.

Our solution:

Designed to maximise space. Sliding doors glide open, lock shut and don't impede anyone passing by. The stylish, perforated panels absorb sound and look smart. Durably powder coated in white satin.

Vital statistics:

Height	970, 1000, 1200mm
Width	1200mm (1 x 1150 internal)
	1600mm (2 x 750 internal)
	1800mm (2 x 850 internal)
	2000mm (2 x 950 internal)
Depth (including door)	480mm
Shelf pitch	25mm increments
Shelf carrying capacity	Up to 130kg per shelf*
Standard colours	White Satin
Finish	Carcass: Powder coated, Shelves: Powder-coated

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



The door's bevelled edge adds to the sleek streamlined design. Doors perfectly align when either side is open.



Perforated doors with acoustic sound absorption panels create a modern aesthetic and enhanced sound absorption.





As standard ABS door slats, including translucent finish.



Secure Pincer Locking System operates two lock latches with separate anchor points in the door, for added security.



Full-length magnetic strips for snug fit and appearance when doors are closed.

Strata 2 Tambour door cabinet.

Your need:

Attractive, multi-purpose cabinets for personal or general storage. Must offer flexibility combined with clever use of space, and without obstructing adjacent space.

Our solution:

Makes the most of available space. Tambour doors neatly recede and 'disappear' to avoid impeding walkways. Magnetic strips ensure snug fit and finish when doors are closed. Choice of ABS door slat colours including translucent with GECA certification. Cabinet sizes to match common workstation and screen dimensions. Castors can be added if mobility is needed. Dexion's unique dual cam lock provides added security.

Vital statistics:

Height	670, 970, 1000, 1200, 1275, 1650, 1980mm
Width	900mm (750 internal) 1050mm (900 internal) 1200mm (1050 internal)
Depth	460mm
Shelf pitch	25mm increments
Shelf carrying capacity	Up to 130kg per shelf*
Locking mechanism	Secure pincer locking system
Standard colours	White Satin, Wide range of other colours on request**
Finish	Carcass & Shelves: Powder coated
Slat options	ABS as standard, including a translucent finish
Slat colours	White Satin, Translucent**

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

**Whilst we try to provide a close match between substrates (plastic and powder coat) colours may slightly vary.



Strata 2 Swing door cabinet.

Your need:

You simply need the security and peace of mind of a cabinet that will keep your property and documents safe under lock and key.

Our solution:

A sturdy and stylish performer, this all-steel cabinet with enclosed frame, reinforced doors, concealed hinges and two-point locking system delivers peace of mind for the secure storage of important documents.

Vital statistics:

Height	670, 970, 1000, 1200, 1275, 1650, 1980mm
Width	900mm (850 internal)
Depth	460mm
Shelf pitch	25mm increments
Shelf carrying capacity	Up to 130kg UDL per shelf*
Standard colours	White Satin
Finish	Carcass & Shelves: Powder coated

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Internally concealed hinges for a clean external finish.



Lockable doors provide extra security for sensitive documents.

Add some greenery to your scenery.



Strata 2 Planter.

Your need:

A contemporary, green way to enjoy nature in your office, without using precious floor space.

Our solution:

Attractive but practical planter boxes that sit neatly above storage cabinets, so you don't 'waste' space. Add life, colour and a sense of balance to work environments, and improve the air quality and ambience. Screen workstations in a fresh way. Moulded full depth safety liners for support and moisture protection. Dexion's unique top tray incorporates folding tabs, to avoid loss of fill material into the plants.

Vital statistics:

Height	230mm
Width	900, 1050, 1200, 1600, 1800, 2000mm
Depth	460mm

Pot sizes Planters are designed to accept 200mm (8") pots as standard, with a maximum aperture of 230mm (9")

Number of pots each planter size can accommodate	
	900mm wide planter – 3 x 200mm pots
	1050mm wide planter – 3 x 200mm pots
	1200mm wide planter – 4 x 200mm pots
	1600mm wide planter – 5 x 200mm pots
	1800mm wide planter – 6 x 200mm pots
	2000mm wide planter – 6 x 200mm pots

Standard colours	White Satin
Finish	Powder coated

Note: Planters should not be placed on cabinets taller than 1200mm high.



Perforated planter, provides acoustic dampening.



Plain planter, designed to achieve maximum strength and rigidity.



The Strata 2 planters have been designed to work together with the entire suite of Strata 2 cabinets. The modular design accommodates all plant types, and ensures easy maintenance and care.

Strata 2 Bookcase.

Your need:

Be able to access stored items quickly and / or frequently, or have material on display that doesn't need to be secure.

Our solution:

This powder coated bookcase provides ready accessibility, showcasing all contents, with the flexibility of an option to convert the unit to a secure, enclosed cabinet with a swing door or tambour door.

Vital statistics:

Height	670, 970, 1000, 1200, 1275, 1650, 1980mm
Width	900mm (850 internal) 1050mm (1000 internal) 1200mm (1150 internal)
Depth	460mm
Shelf pitch	25mm increments
Shelf carrying capacity	Up to 130kg per shelf*
Standard colours	White Satin
Finish	Carcass & Shelves: Powder coated

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Binning dividers.



Wrap around wire rack.



Slotted shelf dividers.



G3 lateral filing cabinet.

Your need:

To easily drop in suspension files in large quantities. Style, to match or complement other office furniture.

Our solution:

Clever and seamless interior storage layout. Sturdily built to comfortably swallow volumes. Two, three or four drawers. Attractively and durably powder coated.

Vital statistics:

Height	675mm (2 drawer) 975mm (3 drawer) 1275mm (4 drawer)
Width	900mm
Depth	460mm
Drawer carrying capacity	Up to 60kg per drawer*
Anti-tilt system	Automatic anti-tilt safety system
Standard colours	White Satin
Finish	Powder coated


*Uniformly Distributed Load. Drawer capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



The lateral filing cabinet is designed to accommodate the Strata 2 planter.



Files can be stored north to south or east to west within drawers.



Books never had it so good.

- | | | | | |
|---------------------------------------|--|-------------------------------------|------------------------------------|--|
| 01 Canopy shelves. | 07 Zig zag shelf display. | 13 Pull out reference shelf. | 19 Bookshelf indicator. | 25 Magazine waterfall shelf 6 tier. |
| 02 Underslung endplates. | 08 Selecta shelf. | 14 Hinged shelf. | 20 Bookend. | 26 End panels – plain. |
| 03 CD/DVD shelf. | 09 Magazine shelf. | 15 Browser bin. | 21 Slotted shelf endplates. | 27 End panels – display. |
| 04 CD/DVD display shelf. | 10 Magazine display shelf 2 tier. | 16 Uptilt endplates. | 22 Slotted shelf back. | 28 End panel display shelf. |
| 05 CD/DVD display rack 2 tier. | 11 Magazine display shelf 3 tier. | 17 Uptilt shelves. | 23 Slotted shelf. | |
| 06 CD/DVD display rack 4 tier. | 12 Hanging bag rail. | 18 Stayput book support. | 24 Slotted shelf dividers. | |

Precision® library shelving 2.

Your need:

A high-quality shelving solution that has virtually endless possibilities for storing and displaying reading, resource and reference material.

Our solution:

Precision Library Shelving 2 is ideal for academic, corporate, public and legal libraries as well as general office applications. It is adaptable to both stationary and mobile storage applications. Available with a wide range of configurations and accessory options.


Vital statistics:

Shelving height	1075, 1230, 1535, 1840, 1990, 2145, 2295mm
Shelving width	600, 900mm
Shelf depth	203, 254, 305, 381mm
Canopy depth	307mm (single), 358mm (single) 615mm (double), 717mm (double)
Wall channel length	2438mm
Standard colour	White satin


Note: Shelf capacities may vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration .

STORAGE Tip


A library collection changes constantly, be sure to future-proof with a flexible system.



Double sided mobile.



Bolted to wall (fixed) single sided.



Freestanding double sided.



Wall mounted.



Agile Lockers.

Your need:

Functional and ergonomic lockers that supports day to day business activities.

Our solution:

Dexion Agile Lockers offer a wide range of flexibility to meet the growing demand for locker solutions within today's health facilities and workplace environments. Agile Lockers have been designed with adaptability in mind and can be configured to meet your specific needs.

Vital statistics:

Door configuration	2, 3 or 4 tiers
Height	1050, 1500, 1950mm (includes 150mm kickplate)
Width	400mm
Depth	460mm
Carcase Finish	White E-zero 16mm moisture
Exterior Finish	E-zero 16mm and nominated from a wide range of standard and custom finishes

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

Dexion Safety Rail.



Your need:

A practical, cost effective solution to reduce the risk of objects falling from shelving, which doesn't reduce vertical storage capacity and can be fitted to your existing storage.

Our solution:

The Dexion Safety Rail is a revolutionary device that can easily be fitted to any existing shelving products, such as our mobile Compactus® units or products from other manufacturers. Once fitted, the risk of stocked items falling from shelving during seismic activity is significantly reduced, whilst still enabling the contents to be easily accessible.

Vital statistics:

Shelving and accessory system	Ultima CI-80 Shelving, Ultima Longspan 2 Shelving, Precision Library Shelving 2
Maximum bay carrying capacity*	700kg
Colours	Flame Red, White Satin, Stone White
Material	Zinc plated 6mm mild steel bar
Finish	Powder coated, Zinc Plated, Stainless Steel
Load Weight	45kg
Sizes	100mm H x 435, 585, 720, 870, 890, 1020, 1170, 1190mm Width

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

Dynamic Locking.



SILVER LEVEL DigiLock Solutions



BRONZE LEVEL



Your need:

Differing levels of security for an ever changing office environment .

Our solution:

The Dexion Dynamic Locking Range offers users two distinct levels of locking, each with varying connectivity, security and functionality options. Please reference Dexion Dynamic Locking Range on the Dexion website for more detailed information.



www.adelaideshelving.com.au