

Adelaide Shelving Product Catalogue

Product Range - Workshop



workshop

Shelving

Ultima Longspan 2 shelving	38 – 39
Ultima Longspan 2 rear fit shelving	40
Easyfit boltless wire shelving	41
Speedlock shelving	42 - 43
Ultima CI-80 shelving	44 - 45

Workbenches

Medium duty	46 – 47
Heavy duty	48 – 49

Small parts storage

Binning systems	50 – 54
Easyfit wire baskets	53
High density drawer systems	55

Ultima Longspan 2.

Your need:
A flexible shelving solution that can handle larger, heavier or awkwardly shaped items.

Our solution:
The Dexion Ultima Longspan 2 is Dexion's most popular hand-loaded shelving solution, it is engineered to be strong, durable and safe. The innovative new design leverages Dexion's smart beam connection to increase the performance and flexibility of the shelving system. Complete with an extensive range of accessories the Dexion Ultima Longspan 2 can be customised to suit your specific needs.

Vital statistics:	
Shelving bay height	900, 1200, 1500, 1800, 2000, 2200, 2500, 3000mm
Shelving width	900, 1200, 1500, 1800, 2100, 2400mm
Shelving depth	400, 450, 500, 600, 760, 900, 1200mm
Shelf capacity	Up to 970kg based on Uniformly Distributed Load
Shelving bay capacity	Up to 3950kg based on Uniformly Distributed Load
Standard beam height	60mm
Beam pitch	50mm
Standard finish	Stone White (Beams), Anthracite (Uprights)
Accessories	Castors, Hanging rails, Timber, Mesh or Steel shelf boards

STORAGE Tip
Fastest moving products should be spread across different zones within a particular storage medium. This will help balance the workload and minimise congestion within a particular area.



Ultima Longspan 2 starter and extension bay with particle board shelves.



Ultima Longspan 2 with mesh shelves provides improved fire safety performance.



The innovative new design leverages Dexion's smart beam connection.



Ultima Longspan 2 Step Beam Profile.



Ultima Longspan 2 - Rear Fit.

Your need:

A flexible shelving solution to suit a heavy duty retail application.

Our solution:

The Dexion Ultima Longspan 2 – Rear Fit has no holes visible on the front face. The aesthetic is clean and uncluttered making it perfect for the commercial or retail environment while still engineered to be strong, durable and safe. The innovative new design leverages Dexion's smart beam connection to increase the performance and flexibility of the shelving system.

Vital statistics:	
Shelving bay height	1200, 1500, 1800, 2000, 2200mm
Shelving width	900, 1200, 1500, 1800, 2100, 2400mm
Shelving depth	400, 450, 500, 600mm
Shelf capacity	Up to 890kg based on Uniformly Distributed Load
Shelving bay capacity	Up to 3000kg based on Uniformly Distributed Load
Standard beam height	60mm
Beam pitch	50mm
Standard finish	Stone White (Beams), Anthracite (Uprights)



Longspan 2 Rear Fit Connection.



Longspan 2 Rear Fit Front Face.

EasyFit boltless wire shelving.

Your need:

Sturdy wire shelving you can put together without tools, for wet or dry areas in a home, office, shop, restaurant or kitchen.

Our solution:

A boltless wire shelving system that's quick and simple to assemble. No bolts, so no tools. Easy to dismantle and reposition. Adjustable and adaptable, so it can change as your needs do. Available in chrome, stainless steel or zinc-plated with anti-microbial epoxy coating to suit any storage application. Contemporary, durable and attractive style.

Vital statistics:	
Shelving height	2200mm
Shelving width	910, 1215mm
Shelving depth	460mm
Shelves	5
Shelf carrying capacity	50kg*
Standard finish	Chrome

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

STORAGE Tip

Add extra shelves for high density storage.





Speedlock® shelving: Heavy duty.

Your need:
Something that can handle longer, bulkier and very heavy items.
An economical solution that can be highly customised.

Our solution:
Speedlock shelving is made from the same beams and uprights we use for our pallet racking, so it is the ultimate in heavy duty shelving. There is a wide selection of beam sections and lengths which means it can suit almost any space. Its bolted construction means it is fully adjustable, and it can be fitted with timber or mesh shelves.

Vital statistics:	
Shelving height	900, 1800, 2400, 3000mm
Beam length	
50 Open	1350, 1500, 1800, 2400, 2600, 2750mm
75 Open	1350, 1500, 1800, 2400, 2600, 2750, 3000mm
55 & 80 Step	1350, 1500, 1800, 2400, 2600, 2750mm
Shelving depth	
	600, 750, 840, 900, 1000, 1050, 1200, 1300, 1350, 1500mm
Shelf carrying capacity	Up to 1000kg*
Beam pitch	50mm
Standard colour	Orange (beams), Galvanised (uprights)

*Uniformly Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Step beam.



Open beam.




Box Beam.



Melamine shelves within Step beam. Recessed shelf is protected by the steel beam.



Board sits on top of the Open beam profile and is secured by retainers.



Board sits on top of the Box Beam profile and is secured by retainers.



Mesh shelves within Step beam.



Outdoor Speedlock with corrosive resistant safety clip.



Outdoor Speedlock with safe edge mesh shelf.



Outdoor Speedlock with heavy duty baseplate.

workshop products



Ultima[®] CI-80 shelving.

Your need:

A single-tier, hand-storage system for small parts of light to medium weight. Your business is growing and evolving, so you need a solution that can change with you.


Our solution:

Employing a modular system, Ultima CI-80 expands in any direction. A common frame panel makes sideways extension simple while units are made mobile with Compactus bases and runners. A wide range of accessories allow you to switch between front office and backroom applications.

Vital statistics:

Shelving height	1875, 2175, 2400mm
Shelving width	750, 900, 1050, 1200mm
Shelving depth	250, 300, 400, 450, 500, 600mm
Shelf carrying capacity	Up to 240kg*
Shelving bay capacity	Standard frames - Up to 1035kg* Reinforced frames - Up to 1700kg*
Shelf pitch	25mm
Standard colour	Stone White

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Add shelf supports for additional load carrying capacity.

STORAGE Tip

To enclose and secure items in your Ultima CI-80 shelving add a lockable swing door kit.



Ultima CI-80 starter and extension bay with steel shelves. Shelf carrying capacity can be increased to 200kg UDL by adding shelf supports.



Ultima CI-80 starter bay with steel shelves. Shelf carrying capacity can be increased to 200kg UDL by adding shelf supports.





Workbench: Medium duty.

Your need:

A workbench that is very flexible, can be easily configured to any length and is economical.

Our solution:

Ultima Longspan 2 benches give you the ultimate in flexibility. They can be configured to any length and are easy to put together. They are not too heavy, but still strong. They are cost effective and can also be accessorised with small parts bins and high density drawer systems.


Vital statistics:

Height	Can be customised to suit any height
Width	900, 1200, 1800, 2100, 2400mm
Depth	400, 450, 500, 600, 760, 900, 1200mm
Beam height	75mm
Beam pitch	50mm
Standard colour	Stone White (beams), Anthracite (uprights)


STORAGE *Tip*

For the ultimate workshop solution, integrate louvred panels and small parts bins (see opposite).

- 01** Safety lock ensures beams are not dislodged.
- 02** Bolted frames.
- 03** Clip in beams.
- 04** Range of tops available: particle board, melamine and stainless steel.
- 05** Undershef provides added stability and is easily adjusted at any height along the upright.
- 06** Incorporate louvred panels for the storage of small parts, using bins and hooks.
- 07** Work surface sits within the beam. Supports can be added to increase loaded carrying capacity of the top.



Ultima Longspan 2 workbench with particle board work surface and bottom shelf with louvred panel and bins.



Ultima Longspan 2 workbench with particle board work surface and bottom shelf.



Workbench: Heavy duty.

Your need:

A workbench that is tough and simple to put together.

Our solution:


Speedlock benches are made from the same beams and uprights that we use for our pallet racking, so they are the strongest benches around. They can be easily assembled, and can be customised with the addition of a top shelf, or by adding maxi bins or high density drawer systems for small parts storage.

Vital statistics:


Height	900 standard, can be customised to suit any height
Width	2780mm
Depth	600, 750, 840, 900, 1000, 1050, 1200, 1300, 1350, 1500mm
Beam height	75mm
Beam pitch	50mm
Standard colour	Orange (beams), Galvanised (uprights)

STORAGE Tip

Wrap particle board work surface with sheet metal for an oil resistant surface.



Speedlock workbench. 75 Open beams with particle board work surface and bottom shelf with louvred panel and bins. Note: Flush fitting 75 Open beams fitted to work surface level only.




Speedlock workbench. 75 Open beams with particle board work surface and upper and bottom shelf.



Melamine work surface provides wipe clean top.



Work surface sits on top of the beam. Supports can be added to increase load carrying capacity of the work surface.



Speedlock workbench. 75 Open beams with particle board work surface and bottom shelf.



Louvred panel double sided with extension and maxi bins and hooks.


Small parts storage: Binning systems.

Your need:


Small parts to be immediately accessible and highly ordered.

Our solution:

Dexion's range of shelf, hanging and stackable bins allow you to sort small parts any way you like. Our Maxi bins come in seven sizes and five different colours. They can be stacked, hung off louvred panels or incorporated into other Dexion storage systems. There are literally countless combinations.



Single pronged, double pronged and closed loop steel hooks are great for hanging a variety of parts such as fan belts, gaskets, hoses and packaged items such as automotive parts.



P5
100mm wide
120mm deep
60mm high
2kg max load

P10
100mm wide
178mm deep
85mm high
5kg max load

P20
135mm wide
225mm deep
125mm high
9kg max load

P30
205mm wide
280mm deep
165mm high
14kg max load

P40
410mm wide
280mm deep
165mm high
18kg max load

P60
410mm wide
457mm deep
216mm high
27kg max load

P45
180mm wide
440mm deep
145mm high
13kg max load

01 Smooth internal features with curved edges making bins easy to clean and provides quick and easy product picking.

02 Divider available for P30, P40, P45 and P60.

03 Unique rear recessed holding grip.

04 Deep rear lip to facilitate bin hanging on louvred panel.

05 Uniquely moulded top rim to ensure secure stacking.

06 Reinforced moulding provides stacking strength.

07 Wide base moulding to stack securely.

08 Wide identification label.

09 Made from high strength polypropylene that resists discolouration from oil and grease.



Bins can be stacked or hung on louvred panels.

Available in a range of colours to assist in more efficient picking.



Easyfit Wire Baskets.

Your need:
To store sterile medical supplies in a smart system which minimizes dust or bacteria being harboured.

Our solution:
The EasyFit® Wire Baskets are a range of quality baskets which fit onto the Dexion louvre panel. The wire basket design greatly enhances the ability to effectively store medical supplies while limiting the surface area available for dust and bacteria to accumulate. Each basket has a double wire on the top edge to ensure there are no sharp edges and can easily be removed from the panel for restocking or relocation of stored items.

Vital statistics:

Dimensions (matches Maxi-Bin Dimensions)	
W5	108w X 113d X 60h mm
W10	108w X 171d X 85h mm
W20	143w X 218d X 125h mm
W30	210w X 273d X 165h mm
W40	418w X 273d X 165h mm
W60	418w X 450d X 215h mm
Finishes	Chrome, Stainless steel 304




Number of bins per 457mm wide panel

Single sided louvred panel dimension	P5 Maxi bins				P10 Maxi bins				P20 Maxi bins			P30 Maxi bins		P40 Maxi bins		P60 Maxi bins		Double sided louvred panel dimension
	1	2	3	4	1	2	3	4	1	2	3	1	2	1	2	1	2	
475mm	1	2	3	4	1	2	3	4	1	2	3	1	2	1	2	1	2	
914mm	5	6	7	8	5	6	7	8	4	5	6	3	4	2		2		
	9	10	11	12	9	10	11	12	7	8	9	5	6	3		3		
1829mm	13	14	15	16	13	14	15	16	10	11	12	7	8	4		4		
	17	18	19	20	17	18	19	20	13	14	15	9	10	5		5		
	21	22	23	24	21	22	23	24	16	17	18	11	12	6		6		
	25	26	27	28	25	26	27	28	19	20	21	13	14	7		7		
	29	30	31	32	29	30	31	32	22	23	24	15	16	8		8		
	33	34	35	36	33	34	35	36	25	26	27	17	18	9		9		
	37	38	39	40	37	38	39	40	28	29	30							
	41	42	43	44	41	42	43	44	31	32	33							
	45	46	47	48	45	46	47	48	34	35	36							
	49	50	51	52	49	50	51	52										
53	54	55	56	53	54	55	56											
57	58	59	60	57	58	59	60											
61	62	63	64	61	62	63	64											
65	66	67	68															
69	70	71	72															
73	74	75	76															
77	78	79	80															
81	82	83	84															
85	86	87	88															
89	90	91	92															
93	94	95	96															

- 01 Rear identification label for bin divisions.
- 02 Raised lug acts as a stop on shelving.
- 03 Deep rear lip to hang on louvred panel.
- 04 Front to back divider slots.
- 05 Wide identification label.
- 06 Bin can accommodate dividers with label holders.
- 07 Reinforced moulding provides stacking strength.



- 01 Durable polypropylene ensures bin is waterproof and unaffected by grease.
- 02 Wide hopper front allows easy access and increased visibility.
- 03 Create compartments with dividers*.
- 04 Back stops lock to the shelf return.
- 05 Neat nesting capability.
- 06 Divider slots.
- 07 Built in handle grip.
- 08 Label holder identifies contents.



Shelf bin range						
Width (mm)	105	168	105	168	168	105
Depth (mm)	600	600	445	445	295	295
Height (mm)	102	102	102	102	102	102

*Dividers sold separately.



Ultima CI-80 with P45 Maxi bins. Shelf carrying capacity can be increased to 200kg UDL by adding shelf supports.



Ultima CI-80 with shelf bins. Shelf carrying capacity can be increased to 200kg UDL by adding shelf supports.



Ultima CI-80 with adjustable shelf dividers. Shelf carrying capacity can be increased to 200kg UDL by adding shelf supports.



Ultima CI-80 with binning dividers. Shelf carrying capacity can be increased to 200kg UDL by adding shelf supports.



- 01 200mm high.
- 02 300mm high.
- 03 400mm high.

High-density drawer systems.

Your need:

Secure high-density storage for small parts. You might be a jeweller, or deal with other valuable items like aviation parts or tools.

Our solution:

Dexion high-density drawers have different drawer heights and adjustable partitions that allow items to be easily organised. The cabinets themselves are made of heavy gauge steel, with fixing points for forklifts and eyebolt attachments. Most importantly, this solution has a Secure Cylinder Locking System, providing keyed-lock security for all drawers.

Vital statistics:

Cabinet width	1010mm
Cabinet depth	575mm
Cabinet height	720mm to 1500mm
Drawer height	60mm to 300mm
Locking mechanism	Central or individual drawer locks



workshop products



www.adelaideshelving.com.au